

Vienna Instruments
Solo Download Instruments
Euphonium
Full Library

Contents

Introduction	3
'Full' Library	3
Data paths and Patch name conventions	3
Patch information	3
Interval performances	4
Matrix information	4
Preset information	5
Abbreviations	5
Articulations	6
The orchestra	7
Pitch	7
59 Euphonium	8
Patches	8
01 SHORT + LONG NOTES	8
02 DYNAMICS	9
03 FLATTER	10
10 PERF INTERVAL	10
11 PERF INTERVAL FAST	11
12 PERF TRILL	11
13 PERF REPETITION	11
14 FAST REPETITION	12
15 UPBEAT REPETITION	12
98 RESOURCES	13
01 Perf Rep dyn	13
02 Long Notes - Single Layer	13
99 RELEASE	14
Matrices	15
Matrix - LEVEL 1	15
Matrix - LEVEL 2 A - Advanced	15
Matrix - LEVEL 2 B - Standard	16
Matrix - LEVEL 2 C - Repetitions	17
Matrix - LEVEL 2 E - Keyswitch Vel	18
Presets	20

Introduction

Welcome to the Vienna Symphonic Library, and thank you for purchasing one of our Solo Download Instruments! This document contains the mapping information for the "Full" version of the Vienna Instruments Euphonium. You will find in it a comprehensive survey of the articulations/Patches content, a listing of abbreviations, and the mapping list proper which gives details for every Patch, Matrix, and Preset.

"Full" Library

As opposed to the "Standard" versions of our Solo Download Instruments, the "Full" versions are identical with the corresponding instruments of a DVD Collection, i.e., they contain exactly the same samples, Patches, Matrices and Presets as the latter without any restrictions.

Installing a Download Instrument's Full version copies that instrument's sample content to a separate folder on your hard disk, so that it is not necessary to keep its Standard version installed – you may either delete it from your hard disk or at least remove it from the Directory Manager's list of activated instruments. In the Vienna Instruments Browser, the path of the Full version will be the same as that of the corresponding DVD Instrument, so that you can still see both versions as separate entries if you keep the Standard version installed.

Data paths and Patch name conventions

Since the Full versions of Download Instruments conform to the corresponding DVD Instruments, the data paths in your Vienna Instruments browser will be different than those of Standard Download or Special Edition Instruments. For instance, the path of the Standard Download Library of Flute 1 is "02D Flute-1", and all Patches can be found in this folder regardless of the articulation group they belong to. The Patch number is also marked with a "D" so that you immediately know it is a Download Instrument. In the Vienna Special Edition, Flute 1 is located in the folder "11 Flutes" together with the other flutes. Here, the Patch number is marked with an "S". The Full Download of Flute 1 is located in the subfolder "32 Flute" of the section "Woodwind Patches", which again contains subfolders grouping the Patches according to type, e.g., "01 SHORT + LONG NOTES", "02 DYNAMICS", etc. Patch names of the Full Download Library may differ from the corresponding ones of the Standard Download Library.

While Full Download Instruments contain all articulations of the corresponding DVD Instruments, their Patches are not divided into Standard and Extended content. The list of articulations further down which gives a summary of the Library's contents.

Special Patch configurations which sometimes are part of a Standard Download Instrument may be found in a reserved folder called "98 RESOURCES" in the Full Instrument. E.g., Flute 1 Standard contains the Patch "22D FL1 legato-sus"; in Flute 1 Full, this Patch is called "01 FL1_perf_leg_sustain" and is located in the Resources' subfolder "03 Perf Speed variation". (Apart from that, it also contains more samples.) Other articulations that can be found in the Resources folder are isolated dynamics repetitions in the subfolder "01 Perf Rep dyn" – e.g., the five repetitions of a legato crescendo, divided into separate Patches – and extracted velocity layers of sustained notes in the subfolder "02 Long Notes – Single Layer".

Patch information

The Patch information includes articulation type, playing range, number of samples used, RAM requirements, the number of velocity layers and alternations, AB switching possibilities, etc., as well as Patch specific information if necessary.

Where the type of articulation requires a special mapping (e.g., natural harmonics patches), the mapping layout will be shown in a detailed graphic.

Major and minor runs are always mapped to the keys of their scale, as are **arpeggios** to the keys of the broken chord played. **Grace notes** and **mordents** are mapped to their target note, i.e., the note the articulation ends with. Due to their nature, all **upward and downward articulations** (e.g., fixed glissandos and octave runs) have different mapping ranges – the upward movements ending the involved interval below the Patch's upper mapping range, while downward movements end the interval above its lower mapping range. (Please note that not all of the articulations mentioned above may be contained in your Collection.)

The Patch information also lists a Patch's velocity layers in detail. Velocity layer switches generally are the same for patches with the same number of layers but may occasionally be adapted to the instrument's requirements:

Layers	Layer 1	Layer 2	Layer 3	Layer 4	Layer 5	Layer 6
2	1–88	89–127				
3	1–55	56–88	89–127			
4	1–55	56–88	89–108	109–127		
5	1–24	25–55	56–88	89–108	109–127	
6	1–24	25–55	56–88	89–108	109–118	119–127

Interval performances

Interval performances are one of the outstanding features of our Vienna Instruments. They allow you to play authentic legato without any programming tricks. In our Silent Stage, all intervals from minor second to the octave were recorded for every instrument – up and down, of course; that makes 24 interval samples per note for one velocity alone! When you load an interval performance Patch and play a line on your keyboard, the software automatically joins the right samples with their interval transitions again, and you hear a perfect legato. By the way, this technique is not only used for legato but also for other articulations like the strings' portamento, marcato, or détaché and spiccato articulations.

Interval performances also contain at least two legato repetitions for every note which alternate automatically whenever you strike a key more than once. There also are preconfigured thresholds for legato and repetition notes: The legato threshold – i.e., the maximum break between notes where legato is played – is 50 ms. Otherwise, a sustained starting note will sound so that you can easily start a new phrase without leaving the legato Patch. For note repetitions, the threshold is 200 ms: a break up to that duration will yield a legato repetition; if the break is longer, a new starting note. But of course, it's mingling legato with other articulations which makes a piece really come alive.

Due to their nature, all interval performances are monophonic; otherwise, the software would have to be able to decide which source note belongs to which target note. To circumvent this, you can open two VI instances of the same instrument on separate MIDI tracks without any additional strain on your RAM.

Note: the Vienna Instruments PRO player software also allows you to play polyphonic Interval performances.

Another variety of interval performance you will come across is the "perf-leg_sus" Patch. These Patches also contain normal legatos, only the target note of each interval is crossfaded into a looped sustain. They can be used for slower pieces with long notes; however, you should use them with circumspection, since plain legatos sound more lively because they not only render the interval transitions as they were played, but also have different target samples for every interval instead of the same sustained note: When you play, e.g., c–e and then c#–e with normal legato, you will get two different "e" tones; with sus-legato you won't.

Matrix information

Each Matrix listing contains information regarding the Patches used for the Matrix, the number of horizontal and vertical dimensions, and switching properties. A mapping table shows the Cell positions for each of the Matrix' Patches.

A/B switching normally is set to A0 for upward/crescendo, and B0 for downward/diminuendo. However, some bass instruments go below that range so that the A/B keys have to be adapted accordingly. For example, the A/B switches for double bass are A0 and A#0 because the instrument's lower range extends to B0.

In order to facilitate working with **MIDI controller switches** like the Modulation wheel, the switching positions are not distributed equally across the controller range if they control more than two Matrix rows or columns; generally, the switching range will be narrower at the extreme positions because they are easy to set, and wider in the middle where it is harder to find the desired setting.

Speed controller switches naturally are adjusted to the Patches involved, and have been tested carefully as to their playability. However, if you find that they do not fit your playing, or want to try out other settings, you can change this as well as any other controller's settings at the **Control edit** page, and save the result in your Custom Matrix folder.

Preset information

The Preset information lists the Matrices used in the Preset as well as its keyswitches. All other information can be gathered from the Matrix and Patch listings, so there's not really much to say here. Please note that the Matrices of a Preset can also be switched with MIDI Program Changes (VI: 101–112; VI PRO: 1–127) instead of keyboard notes, and if you like to keep your keyboard free for playing instead of switching, you can disable Preset keyswitching and only use MIDI Program Changes. Vienna Instruments PRO also allows you to define a MIDI Control for Preset keyswitching.

Abbreviations

Here's a list of abbreviations in Patch names, which will help you to determine a Patch's content even without the help of the Vienna Instruments browser. Please note that not all of the abbreviations may occur in the manual on hand.

Abbreviation	Meaning	Abbreviation	Meaning
150, 160, ...	150, 160, ... BPM (beats per minute)	marc	marcato
1s, 2s, ...	1 sec., 2.sec. ... duration	me	medium
all	combination of all Patches of a category	noVib	without vibrato
cre	crescendo	perf-rep	repetition performance
cre5, cre9	crescendo, 5/9 repetitions	por	portato
dim	diminuendo	RS	release sample
dim5, dim9	diminuendo, 5/9 repetitions	sl	slow
dyn	dynamics (crescendo and diminuendo)	soft	soft attack
dyn5, dyn9	dynamics, 5/9 repetitions	sta, stac	staccato
fa	fast	str	strong
fast-rep	fast repetitions	sus	sustained
flutter	flutter tonguing	Vib	with (medium) vibrato
leg	legato	Vib-prog	progressive vibrato
		XF	cell crossfade Matrix

Articulations

59 Euphonium	
01 SHORT + LONG NOTES	Staccato Portato short and medium Portato long, marcato and soft Sustained
02 DYNAMICS	Medium dynamics, 1.5/2/3/5 sec. Strong dynamics, 2/3/5 sec. Crescendo-diminuendo, 2/3/4/6/8 sec. Fortepiano, sforzato, sforzatissimo
03 FLATTER	Flutter tonguing, normal and crescendo
10 PERF INTERVAL	Legato Marcato
11 PERF INTERVAL FAST	Legato Marcato
12 PERF TRILL	Trills, legato, minor to major 2nd
13 PERF REPETITION	Legato Portato Staccato Normal and dynamics
14 FAST REPETITION	Staccato, 120 to 180 BPM Normal and dynamics
15 UPBEAT REPETITION	1, 2, and 3 upbeats, 80-140, 160, 180, and 200 BPM

The orchestra

There are several ways of setting up an orchestra, depending on the era of the piece played, the type of the piece and the instruments it requires, and even on the preference of the conductor. The figure below shows one of the more common setups, which can be taken as a guideline for mixing a composition, properly positioning the instruments in the stereo field and adding reverb according to the size of the concert hall you want your piece to be played in.



- | | |
|---------------------------|---------------------------------|
| 1 1st and 2nd violin | 9 Bassoon, contrabassoon |
| 2 Viola | 10/11 Trumpet |
| 3 Cello | 12/13 Horn |
| 4 Double bass | 14/15 Trombone |
| 5 Harp | 16 Tuba |
| 6 Concert flute, piccolo | 17 Timpani |
| 7 Oboe, English horn | 18 Drums, cymbals |
| 8 Clarinet, bass clarinet | 19 other percussion instruments |

Pitch

For designating pitch, the Vienna Symphonic Library uses International Pitch Notation (IPN), which was agreed upon internationally under the auspices of the Acoustical Society of America. In this system the international standard of A=440 Hz is called A4 and middle C is C4. All pitches are written as capital letters, their respective octave being indicated by a number next to it. The lowest C on the piano is C1 (the A below that is A0), etc.

You can tune your Vienna Instruments to other players, or adjust it to tunings of earlier musical periods by setting the Perform page's Master Tune option within a range of 420 to 460 Hz.

59 Euphonium

Patches

01 SHORT + LONG NOTES

Range: D2–C5



01 EU_staccato

Samples: 198

RAM: 12 MB

Staccato

3 velocity layers: 0–55 p; 56–108 mf; 109–127 f

2 Alternations

02 EU_portato_short

Samples: 264

RAM: 16 MB

Portato, short

4 velocity layers: 0–55 p; 56–88 mp; 89–108 mf; 109–127 f

2 Alternations

03 EU_portato_medium

Samples: 264

RAM: 16 MB

Portato, medium

4 velocity layers: 0–55 p; 56–88 mp; 89–108 mf; 109–127 f

2 Alternations

04 EU_portato_long_soft

Samples: 162

RAM: 10 MB

Portato, long, soft

2 velocity layers: 0–88 mf; 89–127 f

Release samples

05 EU_portato_long_marc

Samples: 136

RAM: 8 MB

Portato, long, marcato

2 velocity layers: 0–88 p; 89–127 f

Release samples

11 EU_sus

Range: C1–C5

Samples: 384

RAM: 24 MB



Sustained

4 velocity layers: 0–55 p; 56–88 mp; 89–108 mf; 109–127 f

Release samples

02 DYNAMICS**Range: D2–C5**

01 EU_dyn-me_1'5s Medium crescendo and diminuendo, 1.5 sec. 2 velocity layers: 0–88 p-mf/mf-p; 89–127 mf-f/f-mf AB switch: crescendo/diminuendo	Samples: 68	RAM: 4 MB
01 EU_dyn-me_2s Medium crescendo and diminuendo, 2 sec. 2 velocity layers: 0–88 p-mf/mf-p; 89–127 mf-f/f-mf AB switch: crescendo/diminuendo	Samples: 68	RAM: 4 MB
02 EU_dyn-me_3s Medium crescendo and diminuendo, 3 sec. 2 velocity layers: 0–88 p-mf/mf-p; 89–127 mf-f/f-mf AB switch: crescendo/diminuendo	Samples: 68	RAM: 4 MB
03 EU_dyn-me_5s Medium crescendo and diminuendo, 5 sec. 2 velocity layers: 0–88 p-mf/mf-p; 89–127 mf-f/f-mf AB switch: crescendo/diminuendo	Samples: 68	RAM: 4 MB
11 EU_dyn-str_2s Strong crescendo and diminuendo, 2 sec. 1 velocity layer AB switch: crescendo/diminuendo	Samples: 34	RAM: 2 MB
12 EU_dyn-str_3s Strong crescendo and diminuendo, 3 sec. 1 velocity layer AB switch: crescendo/diminuendo	Samples: 34	RAM: 2 MB
13 EU_dyn-str_5s Strong crescendo and diminuendo, 5 sec. 1 velocity layer AB switch: crescendo/diminuendo	Samples: 34	RAM: 2 MB
21 EU_pfp_2s Crescendo-diminuendo, 2 sec. 2 velocity layers: 0–88 p; 89–127 f	Samples: 34	RAM: 2 MB
22 EU_pfp_3s Crescendo-diminuendo, 3 sec. 2 velocity layers: 0–88 p; 89–127 f	Samples: 34	RAM: 2 MB
23 EU_pfp_4s Crescendo-diminuendo, 4 sec. 2 velocity layers: 0–88 p; 89–127 f	Samples: 34	RAM: 2 MB
24 EU_pfp_6s Crescendo-diminuendo, 6 sec. 2 velocity layers: 0–88 p; 89–127 f	Samples: 34	RAM: 2 MB

25 EU_pfp_8s Crescendo-diminuendo, 8 sec. 1 velocity layer	Samples: 17	RAM: 1 MB
31 EU_fp Fortepiano 1 velocity layer	Samples: 33	RAM: 2 MB
32 EU_sfz Sforzato 1 velocity layer	Samples: 33	RAM: 2 MB
33 EU_sffz Sforzatissimo 1 velocity layer	Samples: 33	RAM: 2 MB
<hr/>		
03 FLATTER	Range: D2–C5	
01 EU_flutter Flutter tonguing, forte 1 velocity layer Release samples	Samples: 34	RAM: 2 MB
02 EU_flutter_cre Flutter tonguing, crescendo 1 velocity layer	Samples: 17	RAM: 1 MB
<hr/>		
10 PERF INTERVAL	Range: D2–A#4	
01 EU_perf-legato Legato Monophonic 2 velocity layers: 0–88 p; 89–127 f Release samples	Samples: 794	RAM: 49 MB
02 EU_perf-marcato Marcato Monophonic 2 velocity layers: 0–88 p; 89–127 f Release samples	Samples: 794	RAM: 49 MB

11 PERF INTERVAL FAST**Range: D2–A#4****01 EU_perf-legato_fa****Samples: 854****RAM: 53 MB**

Legato, fast

Monophonic

2 velocity layers: 0–88 p; 89–127 f

Release samples

02 EU_perf-marcato_fa**Samples: 854****RAM: 53 MB**

Marcato, fast

Monophonic

2 velocity layers: 0–88 p; 89–127 f

Release samples

12 PERF TRILL**Range: D2–A#4****01 EU_perf-trill****Samples: 1418****RAM: 88 MB**

Performance trills, legato, minor to major 2nd

Monophonic

2 velocity layers: 0–88 p; 89–127 f

Release samples

13 PERF REPETITION**Range: D2–C5****01 EU_perf-rep_leg****Samples: 170****RAM: 10 MB**

Legato repetitions

2 velocity layers: 0–88 p; 89–127 f

02 EU_perf-rep_por**Samples: 306****RAM: 19 MB**

Portato repetitions

2 velocity layers: 0–88 p; 89–127 f

03 EU_perf-rep_sta**Samples: 306****RAM: 19 MB**

Staccato repetitions

2 velocity layers: 0–88 p; 89–127 f

11 EU_perf-rep_dyn5_leg**Samples: 170****RAM: 10 MB**

Legato dynamics, 5 repetitions

1 velocity layer

AB switch: crescendo/diminuendo

12 EU_perf-rep_dyn9_por**Samples: 306****RAM: 19 MB**

Portato dynamics, 9 repetitions

1 velocity layer

AB switch: crescendo/diminuendo

13 EU_perf-rep_dyn9_sta**Samples: 306 RAM: 19 MB**

Staccato dynamics, 9 repetitions
 1 velocity layer
 AB switch: crescendo/diminuendo

14 FAST REPETITION**Range: D2–C5****01 EU_fast-rep_120 (130/140/150/160/170/180)****Samples: 68 RAM: 4 MB**

Staccato, 9 repetitions, 120–180 BPM
 2 velocity layers: 0–88 p; 89–127 f
 Release samples

11 EU_fast-rep_120_dyn (130/140/150/160/170/180)**Samples: 34 RAM: 2 MB**

Staccato, 9 repetitions, 120–180 BPM, crescendo and diminuendo
 1 velocity layer
 AB switch: crescendo/diminuendo

15 UPBEAT REPETITION**A Single Upbeat****Range: D2–C5****01 EU_UB-a1_80 (90/100/110/120/130/140/160/180/200)****Samples: 34 RAM: 2 MB**

1 upbeat, 80–140, 160, 180, and 200 BPM
 2 velocity layers: 0–88 p; 89–127 f

B Double Upbeats**Range: D2–C5****01 EU_UB-a2_80 (90/100/110/120/130/140/160/180/200)****Samples: 34 RAM: 2 MB**

2 upbeats, 80–140, 160, 180, and 200 BPM
 2 velocity layers: 0–88 p; 89–127 f

C Triple Upbeats**Range: D2–C5****01 EU_UB-a3_80 (90/100/110/120/130/140/160/180/200)****Samples: 34 RAM: 2 MB**

3 upbeats, 80–140, 160, 180, and 200 BPM
 2 velocity layers: 0–88 p; 89–127 f

98 RESOURCES

Isolated dynamics repetitions: Legato, portato, staccato
Single layer long notes

01 Perf Rep dyn		Range: D2–C5	
01 EU_rep_cre5_leg-1 (2/3/4/5) Extracted repetition Legato, crescendo, 1st to 5th note 1 velocity layer	Samples: 17	RAM: 1 MB	
01 EU_rep_dim5_leg-1 (2/3/4/5) Extracted repetition Legato, diminuendo, 1st to 5th note 1 velocity layer	Samples: 17	RAM: 1 MB	
02 EU_rep_cre9_por-1 (2/3/4/5/6/7/8/9) Extracted repetition Portato, crescendo, 1st to 9th note 1 velocity layer	Samples: 17	RAM: 1 MB	
02 EU_rep_dim9_por-1 (2/3/4/5/6/7/8/9) Extracted repetition Portato, diminuendo, 1st to 9th note 1 velocity layer	Samples: 17	RAM: 1 MB	
03 EU_rep_cre9_sta-1 (2/3/4/5/6/7/8/9) Extracted repetition Staccato, crescendo, 1st to 9th note 1 velocity layer	Samples: 17	RAM: 1 MB	
03 EU_rep_dim9_sta-1 (2/3/4/5/6/7/8/9) Extracted repetition Staccato, diminuendo, 1st to 9th note 1 velocity layer	Samples: 17	RAM: 1 MB	
02 Long Notes - Single Layer		Range: C1–C5	
01 EU_sus_p Sustained, piano 1 velocity layer Release samples	Samples: 96	RAM: 6 MB	
02 EU_sus_mf Sustained, mezzoforte 1 velocity layer Release samples	Samples: 96	RAM: 6 MB	
03 EU_sus_f Sustained, forte 1 velocity layer Release samples	Samples: 96	RAM: 6 MB	

04 EU_sus_ff**Samples: 96****RAM: 6 MB**

Sustained, fortissimo

1 velocity layer

Release samples

99 RELEASE

This section contains release samples for various patches of the other sections. Please do not try to load them into a Vienna Instruments matrix – you will not be able to hear anything when you try to play them.

Matrices

Matrix - LEVEL 1

L1 EU Articulation Combi

Samples: 963 RAM: 60 MB

Single note articulations

Staccato, portato short, sustained, fortissimo and sforzato, flutter tonguing normal and crescendo

Matrix switches: Horizontal: Keyswitches, C6–D#6 Vertical: Modwheel, 2 zones

	C6	C#6	D6	D#6
V1	stac	sustained	fp	flutter
V2	port. short	sustained	sfz	flutter cres.

L1 EU Perf-Legato Speed

Samples: 974 RAM: 60 MB

Interval performances

Legato normal and fast

Speed controller

Matrix switches: Horizontal: Speed, 2 zones

	H1	H2
legato	normal	fast

Matrix - LEVEL 2 A - Advanced

01 EU Perf-Universal

Samples: 1878 RAM: 117 MB

Interval performances

Legato normal and fast

Marcato normal and fast

Speed controller

Matrix switches: Horizontal: Speed, 2 zones Vertical: Modwheel, 2 zones

	H1	H2
V1	legato normal	legato fast
V2	marcato normal	marcato fast

02 EU Perf-Trill Speed

Samples: 1538 RAM: 96 MB

Multi interval performances

Legato and trills

Speed controller

Matrix switches: Horizontal: Speed, 2 zones

	H1	H2
V1	legato	trills

03 EU Short+Long notes - All**Samples: 1242 RAM: 77 MB**

Single notes

Staccato

Portato short and medium

Portato long, with soft attack and marcato

Sustained

Matrix switches: Horizontal: Keyswitches, C6–E6 Vertical: Modwheel, 2 zones

	C6	C#6	D6	D#6	E6
V1	staccato	port. short	port. med.	port. long soft	sustained
V2	%	%	%	port. long marcato	%

Matrix - LEVEL 2 B - Standard**11 EU Perf-Legato Speed****Samples: 974 RAM: 60 MB**

Interval performances

Legato normal and fast

Speed controller

Matrix switches: Horizontal: Speed, 2 zones

	H1	H2
legato	normal	fast

12 EU Perf-Marcato Speed**Samples: 974 RAM: 60 MB**

Interval performances

Marcato normal and fast

Speed controller

Matrix switches: Horizontal: Speed, 2 zones

	H1	H2
marcato	normal	fast

13 EU Dynamics - Small**Samples: 303 RAM: 18 MB**

Medium crescendo and diminuendo, 2, 3, and 5 sec.

Fortepiano, sforzato, sforzatissimo

Matrix switches: Horizontal: Keyswitches, C6–D6 Vertical: Modwheel, 4 zones

	C6	C#6	D6
dyn. medium	2 sec.	3 sec.	5 sec.
fp	%	%	%
sfz	%	%	%
sffz	%	%	%

14 EU Dynamics - Large**Samples: 609 RAM: 38 MB**

Medium crescendo and diminuendo, 1.5, 2, 3, and 5 sec.

Strong crescendo and diminuendo, 2, 3, 4, and 6 sec.

Crescendo-diminuendo with vibrato, 2, 3, 4, and 6 sec.

Fortepiano, sforzato, sforzatissimo

Matrix switches: Horizontal: Keyswitches, C6–D#6 Vertical: Modwheel, 4 zones

	C6	C#6	D6	D#6
dyn. medium	1.5 sec.	2 sec.	3 sec.	5 sec.
dyn. strong	2 sec.	2 sec.	3 sec.	5 sec.
pfp vib.	2 sec.	3 sec.	4 sec.	6 sec.
fp/sfz	fp	sfz	sffz	sffz

15 EU Flatter**Samples: 51****RAM: 3 MB**

Flutter tonguing

Normal, crescendo, and normal/crescendo with Cell crossfading

Matrix switches: Horizontal: Keyswitches, C6–D6

	C6	C#6	D6
flutter	normal	crescendo	Cell XF

Matrix - LEVEL 2 C - Repetitions**31 EU Perf-Repetitions - Combi****Samples: 782****RAM: 48 MB**

Repetition performances

Legato, portato, staccato

Matrix switches: Horizontal: Keyswitches, C6–D6

	C6	C#6	D6
V1	legato	portato	staccato

32 EU Perf-Repetitions - Speed**Samples: 782****RAM: 48 MB**

Repetition performances

Legato, portato, staccato

Speed controller

Matrix switches: Horizontal: Speed, 3 zones

	H1	H2	H3
V1	legato	portato	staccato

33 EU Fast-Repetitions**Samples: 272****RAM: 17 MB**

Fast repetitions: Staccato, 120–180 BPM

Matrix switches: Horizontal: Keyswitches, C6–F#6

	C6	C#6	D6	D#6	E6	F6	F#6
speed/BPM	120	130	140	150	160	170	180

34 EU Upbeats a1**Samples: 340****RAM: 21 MB**

Repetitions: 1 upbeat, 80–140, 160, 180, 200 BPM

Matrix switches: Horizontal: Keyswitches, C6–A6

	C6	C#6	D6	D#6	E6	F6	F#6	G6	G#6	A6
speed/BPM	80	90	100	110	120	130	140	160	180	200

35 EU Upbeats a2**Samples: 340****RAM: 21 MB**

Repetitions: 2 upbeats, 80–140, 160, 180, 200 BPM

Matrix switches: Horizontal: Keyswitches, C6–A6

	C6	C#6	D6	D#6	E6	F6	F#6	G6	G#6	A6
speed/BPM	80	90	100	110	120	130	140	160	180	200

36 EU Upbeats a3**Samples: 340****RAM: 21 MB**

Repetitions: 3 upbeats, 80–140, 160, 180, 200 BPM

Matrix switches: Horizontal: Keyswitches, C6–A6

	C6	C#6	D6	D#6	E6	F6	F#6	G6	G#6	A6
speed/BPM	80	90	100	110	120	130	140	160	180	200

37 EU Upbeats all**Samples: 1020 RAM: 63 MB**

Repetitions: 1–3 upbeats, 80–140, 160, 180, 200 BPM

Matrix switches: Horizontal: Keyswitches, C6–A6 Vertical: Modwheel, 3 zones

	C6	C#6	D6	D#6	E6	F6	F#6	G6	G#6	A6
1 upbeat	80	90	100	110	120	130	140	160	180	200
2 upbeats	80	90	100	110	120	130	140	160	180	200
3 upbeats	80	90	100	110	120	130	140	160	180	200

Matrix - LEVEL 2 E - Keyswitch Vel**71 EU Legato - cre5****Samples: 85 RAM: 5 MB**

Legato notes: Crescendo, keyswitch velocity

Keyswitches control 5 dynamic steps

Matrix switches: Horizontal: Keyswitches, C6–E6

	C6	C#6	D6	D#6	E6
velocity	1st	2nd	3rd	4th	5th

72 EU Portato - cre9**Samples: 153 RAM: 9 MB**

Portato notes: Crescendo, keyswitch velocity

Keyswitches control 9 dynamic steps

Matrix switches: Horizontal: Keyswitches, C6–G#6

	C6	C#6	D6	D#6	E6	F6	F#6	G6	G#6
velocity	1st	2nd	3rd	4th	5th	6th	7th	8th	9th

73 EU Staccato - cre9**Samples: 153 RAM: 9 MB**

Staccato notes: Crescendo, keyswitch velocity

Keyswitches control 9 dynamic steps

Matrix switches: Horizontal: Keyswitches, C6–G#6

	C6	C#6	D6	D#6	E6	F6	F#6	G6	G#6
velocity	1st	2nd	3rd	4th	5th	6th	7th	8th	9th

74 EU Combi - cre9**Samples: 306 RAM: 19 MB**

Portato and staccato: Crescendo, keyswitch velocity

Keyswitches control 9 dynamic steps

Matrix switches: Horizontal: Keyswitches, C6–G#6 Vertical: Modwheel, 2 zones

	C6	C#6	D6	D#6	E6	F6	F#6	G6	G#6
portato	1st	2nd	3rd	4th	5th	6th	7th	8th	9th
staccato	1st	%	%	%	%	%	%	%	%

75 EU Legato - dim5**Samples: 85 RAM: 5 MB**

Legato notes: Diminuendo, keyswitch velocity

Keyswitches control 5 dynamic steps

Matrix switches: Horizontal: Keyswitches, C6–E6

	C6	C#6	D6	D#6	E6
velocity	1st	2nd	3rd	4th	5th

76 EU Portato - dim9**Samples: 153 RAM: 9 MB**

Portato notes: Diminuendo, keyswitch velocity

Keyswitches control 9 dynamic steps

Matrix switches: Horizontal: Keyswitches, C6–G#6

	C6	C#6	D6	D#6	E6	F6	F#6	G6	G#6
velocity	1st	2nd	3rd	4th	5th	6th	7th	8th	9th

77 EU Staccato - dim9**Samples: 153 RAM: 9 MB**

Staccato notes: Diminuendo, keyswitch velocity

Keyswitches control 9 dynamic steps

Matrix switches: Horizontal: Keyswitches, C6–G#6

	C6	C#6	D6	D#6	E6	F6	F#6	G6	G#6
velocity	1st	2nd	3rd	4th	5th	6th	7th	8th	9th

78 EU Combi - dim9**Samples: 306 RAM: 19 MB**

Portato and staccato: Diminuendo, keyswitch velocity

Keyswitches control 9 dynamic steps

Matrix switches: Horizontal: Keyswitches, C6–G#6 Vertical: Modwheel, 2 zones

	C6	C#6	D6	D#6	E6	F6	F#6	G6	G#6
portato	1st	2nd	3rd	4th	5th	6th	7th	8th	9th
staccato	1st	%	%	%	%	%	%	%	%

Presets

EU VSL Preset Level 1

Samples: 1867 RAM: 116 MB

L1 EU Perf-Legato Speed

L1 EU Articulation Combi

Preset keyswitches: C7–C#7

EU VSL Preset Level 2

Samples: 4603 RAM: 287 MB

01 EU Perf-Universal

02 EU Perf-Trill Speed

L1 EU Articulation Combi

31 EU Perf-Repetitions - Combi

74 EU Combi - cre9

Preset keyswitches: C7–E7